

Sustainable Innovations

Rockford, IL 61114
jmurray@sustaininnovate.com
(815) 988-2159

Sample: 2203ACTH0027.0083

Strain: THC-V
Sample Received: 03/29/2022; Report Created: 03/31/2022
Report ID:

Nano THC-V

Concentrates & Extracts, Distillate, Alcohol



Terpenes (SOP 602)

								NT
Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass	Total Terpenes

Cannabinoids (SOP 801)

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.125	ND	ND
Δ9-THC	0.125	ND	ND
Δ8-THC	0.125	ND	ND
THCVa	0.125	ND	ND
THCV	0.125	ND	ND
CBDa	0.125	ND	ND
CBD	0.125	ND	ND
CBDVa	0.125	ND	ND
CBDV	0.125	ND	ND
CBNa	0.125	ND	ND
CBN	0.125	ND	ND
CBGa	0.125	ND	ND
CBG	0.125	ND	ND
CBCa	0.125	ND	ND
CBC	0.125	ND	ND
CBL	0.125	ND	ND
Δ8-THCV	0.125	0.580	5.80
Total		0.580	5.80

ND	ND
Total THC	Total CBD
NT	NT
Moisture	Water Activity

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD
Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

2137 S Main St.
Morton, IL
(309) 321-8455
www.actlaboratoriesinc.com

Courtney M. Richmond
Courtney Richmond
Laboratory Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Sustainable Innovations

Rockford, IL 61114
 jmurray@sustaininnovate.com
 (815) 988-2159

Sample: 2203ACTH0027.0083

Strain: THC-V
 Sample Received: 03/29/2022; Report Created: 03/31/2022
 Report ID:

Nano THC-V

Concentrates & Extracts, Distillate, Alcohol



Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Acetone	5.020	750.000	ND	Pass
Butane	5.650	800.000	ND	Pass
Dichloromethane	8.970	125.000	ND	Pass
Ethanol	4.400	1000.000	ND	Pass
Ethyl-Acetate	2.860	400.000	ND	Pass
Ethyl-Ether	4.200	500.000	ND	Pass
Ethylene Oxide	5.770	5.000	ND	Pass
Heptane	4.000	500.000	ND	Pass
Hexanes	3.500	50.000	ND	Pass
Isopropanol	17.080	500.000	ND	Pass
Methanol	7.300	250.000	ND	Pass
Pentanes	4.200	750.000	ND	Pass
Propane	10.710	2100.000	ND	Pass
Trichloroethene	7.750	25.000	ND	Pass



Courtney Richmond
 Laboratory Manager

